



Fig. 1: Thanks to its highly automated sawing operations and its equipment options, the new CONTROL series is the vertical cutting centre in the premium category. All panel cutting operations are fully automatic. Manual work is a thing of the past.



Fig. 2: “Touch & saw” – a touch of the fingertip is all that is required to operate all the functions of the new CONTROL or EVOLUTION series. Multilingual instructions and error detection turn saw operation into child’s play



Fig. 3: Fitted as standard to the new CONTROL and EVOLUTION series saws: The laser-supported display for horizontal cuts makes the saws even easier to use.

© All Photos, May 2009 by:

Striebig AG, Littau/Lucerne

For .tiff oder .jpg-files please contact
info@afw-fd.de

Press contact:

AFW Marketing Ltd.
Biedenbachstrasse 6
D-36037 Fulda
Tel. +49 6 61 / 2 92 68 09
Fax +49 6 61 / 6 79 04 96
E-mail: gheuser@afw-fd.de
Your contact: Gerd Heuser



Fig. 4: ABO for automatic upper trimming cuts and the 4SB system for automatic trimming cuts of the lower panel edge. This labour-saving combination is only available on the new CONTROL series.



Fig. 5: Using the touch-screen panel fitted to the new CONTROL or EVOLUTION series, the operator can access all of the saw's operating data at any time. Servicing and error messages are visually supported. Communicating with a saw just doesn't get any easier.



Fig. 6: Just enter the data – that's it. The EPS electronic positioning system fitted to the new CONTROL series allows both cutting axes to be easily positioned to an accuracy of 1/10 mm.

© All Photos, May 2009 by:

Striebig AG, Littau/Lucerne

For .tiff oder .jpg-files please contact
info@afw-fd.de

Press contact:

AFW Marketing Ltd.
Biedenbachstrasse 6
D-36037 Fulda
Tel. +49 6 61 / 2 92 68 09
Fax +49 6 61 / 6 79 04 96
E-mail: gheuser@afw-fd.de
Your contact: Gerd Heuser



Fig. 7: Perfect mitre joints are simplicity itself using the WSG angle-cutting unit on a Striebig vertical panel saw. The WSG is quick and easy to use on the left and on the right of each vertical cutting point.



Fig. 8: Saves time, costs and tools – a VSA scoring saw unit decisively extends the service life of a main saw blade.

© All Photos, May 2009 by:

Striebig AG, Littau/Lucerne

For .tiff oder .jpg-files please contact
info@afw-fd.de

Press contact:

AFW Marketing Ltd.
Biedenbachstrasse 6
D-36037 Fulda
Tel. +49 6 61 / 2 92 68 09
Fax +49 6 61 / 6 79 04 96
E-mail: gheuser@afw-fd.de
Your contact: Gerd Heuser